

| | | | |
|--------------|--------------|---------------------------|-------------------------------|
| <i>T</i> | <i>F</i> | <i>E</i> | Effective Feb 2017 |
| 1800 803 236 | 1800 805 086 | sales@iconplastics.com.au | |

iconplastics.com.au
W

Moroday



Capabilities

Icon Plastics is a privately owned and operated Australian business employing approximately 250 staff. Operating for over 50 years the internal strengths and opportunities have cemented Icon's place in the Australian plastics conversion market. Both viable and diversified, Icon is in good stead to continue growing in the future.

Icon's ability to meet customer requirements and quality expectations have earned us the reputation of a supplier that can be counted on.

icon Australia

- 2 sites in **Hallam** (head office)
- **Seaford**
- **Doveton**
- **Brisbane**

Offices:

- South Australia
 - New South Wales
 - Tasmania
 - Western Australia
-
- South Africa



Brisbane

| | |
|-----------|---|
| Size | 11,000 m ² |
| Equipment | 16 Extruders 25mm to 90mm [twin screw PVC] 17 Injection moulding [15 tonne up to 350 tonne] |
| | Tool Room |
| | Assembly |

With warehouses and representation in all Australian states, USA, Europe, South America, Asia and New Zealand and exporting to 28 countries and quality accreditations including Quality TS-16949:2008 and ISO9001:2008, Icon Plastics clearly has the capacity and experience to deliver from the simple to the complex; the small to large; the local to global!



Employing approximately 250 staff at 4 manufacturing locations in Victoria and Queensland

Hallam

- Size 11,000 m2
- Equipment
 - 23 Injection moulders [up to 1,500 tonnes]
 - 25Lt Blow moulders
 - 2 Vertical 35T - 80T
 - 17 Extruders [1/4 inch up to 6 inch]
 - Co-Extrusion capabilities
 - Dual (twin) material injection moulding
 - Assembly
 - Tool Room

Doveton

HASAP | TGA APPROVED



- Size 2,000 m2
- Equipment
 - 11 Extruders
 - Exclusive "Tube Extrusion"

Seaford









HASAP | TGA APPROVED















- Size 3,000 m2
- Equipment
 - 14 Blow moulders [5Lt]
 - 2 Injection blow machines
 - 2 Preformer machines
 - 7 Injection moulding [up to 400 tonnes]
 - 2 Liquid Silicone Rubber [up to 200 tonnes]
 - Screen printing and pad printing
 - Assembly

MORODAY – DOOR SEALS





| Illustration | Feature | Part No. | Bar code | Length | Colour | Inn/ Box | ship /Box | Cu.ft |
|--------------------------------|---|--|---------------|--------|--------|----------|-----------|-------|
| MDS 1 Plastic Door Seal | | | | | | | | |
| | <p>The MDS 1 Plastic Door Seal is a Surface mounted sweep type made of a flexible extrusion of PVC. This Door Seal is suitable for sliding and swinging doors. The installation is simple and does not require the door to be removed.</p> | 1-72302 | 9323535723024 | 915mm | Brown | 6 | 60 | 3' |
| | | 1-73302 | 9323535733023 | 915mm | Grey | 6 | 60 | 3' |
| | | 1-71302 | 9323535713025 | 915mm | White | 6 | 60 | 3' |
| | | 1-72300 | 9323535723000 | 915mm | Timber | 6 | 60 | 3' |
| | | 1-72301 | | 1000mm | Timber | 6 | 60 | 3' |
| | | <p>Location: Door bottom or sliding to door edge sealing Gap: 3mm-10mm Product Length: 915mm (can be cut to desired length) Installation Method: Self-Adhesive tape on back for direct adhesive. Surface must be smooth, clean, flat and dry. Can also be screw mounted if required. (Screws not included) Seal Material: PVC (Brown, Grey, White and Timber look)</p> | | | | | | |
| MDS 2 Econo Door Seal | | | | | | | | |
| | <p>The MDS 2 Econo Door Seal is a Surface mounted sweep type made of a Aluminium extrusion and EVA material. This Door Seal is suitable for sliding and swinging doors. The installation is simple and does not require the door to be removed.</p> | 1-65301 | 9323535006110 | 915mm | Bronze | 6 | 60 | 3' |
| | | 1-66301 | 9323535006141 | 915mm | Silver | 6 | 60 | 3' |
| | | <p>Location: Door bottom or sliding door edge. Sealing Gap: 3mm - 15mm Product Length: 915mm (can be cut to desired length) Installation Method: Self-Adhesive tape on back for direct adhesion. Surface must be smooth, clean, flat and dry. Can also be screw mounted if required. (Screws not included) Seal Material: EVA material (Black)</p> | | | | | | |
| MDS 2A Econo Door Seal | | | | | | | | |
| | <p>The MDS 2A Econo Door Seal is a Surface mounted sweep type made of a Aluminium extrusion and EVA material. This Door Seal is suitable for sliding and swinging doors. The installation is simple and does not require the door to be removed.</p> | 1-65302 | 9323535006172 | 915mm | Bronze | 6 | 60 | 3' |
| | | 1-66302 | 9323535006165 | 915mm | Silver | 6 | 60 | 3' |
| | | <p>Location: Door bottom or sliding door edge. Sealing Gap: 13mm -35mm Product Length: 915mm (can be cut to desired length) Installation Method: Self-Adhesive tape on back for direct adhesion. Surface must be smooth, clean, flat and dry. Can also be screw mounted if required. (Screws not included) Seal Material: EVA material (Black)</p> | | | | | | |
| MDS 3 Compact Door Seal | | | | | | | | |
| | <p>The MDS 3 Compact Door Seal is a Surface mounted sweep type made of a Aluminium extrusion and PVC medium soft material. This Door Seal is suitable for sliding and swinging doors. The installation is simple and does not require the door to be removed.</p> | 1-65306 | 9323535653062 | 915mm | Bronze | 6 | 60 | 3' |
| | | 1-67306 | 9323535673060 | 915mm | Gold | 6 | 60 | 3' |
| | | 1-66306 | 9323535663061 | 915mm | Silver | 6 | 60 | 3' |
| | | <p>Location: Door bottom or sliding door edge. Sealing Gap: 3mm - 15mm Product Length: 915mm (can be cut to desired length) Installation Method: Screw-on for direct installation. (Screws included) Surface must be smooth, clean, flat and dry. Seal Material: PVC medium soft Material (Black)</p> | | | | | | |

| Illustration | Feature | Part No. | Bar code | Length | Colour | Inn/ ship | | Cu.ft | |
|--|--|--|---|---------|---------------|-----------|--------|-------|----|
| | | | | | | Box | /Box | | |
|  | <p>The MDS 4 Plastic Brush Door Seal is a Surface mounted sweep type made of a PVC extrusion and PP Brush material. This Door Seal is suitable for sliding and swinging doors. The installation is simple and does not require the door to be removed. It is especially suitable for rough textured floor surface such as Slate or un-even tiles</p>  | 1-66304 | 9323535663047 | 915mm | Brown | 6 | 60 | 3' | |
| | | 1-65304 | 9323535653048 | 915mm | Grey | 6 | 60 | 3' | |
| | | 1-67304 | 9323535673046 | 915mm | White | 6 | 60 | 3' | |
| | | <p>Location: Door bottom or sliding door edge.</p> <p>Sealing Gap: 10mm -20mm</p> <p>Product Length: 915mm (can be cut to desired length)</p> <p>Installation Method: Self-Adhesive tape on back for direct adhesion. Surface must be smooth, clean, flat and dry. Can also be screw mounted if required. (Screws not included)</p> <p>Seal Material: PP Brush material (Black)</p> | | | | | | | |
|  | <p>The MDS 5 Compact Door Seal is a Surface mounted sweep type made of a Aluminium extrusion and PP Brush material. This Door Seal is suitable for sliding and swinging doors. The installation is simple and does not require the door to be removed. It is especially suitable for rough textured floor surface such as Slate or un-even tiles</p>  | 1-65305 | 9323535653055 | 915mm | Bronze | 6 | 60 | 3' | |
| | | 1-67305 | 9323535673053 | 915mm | Gold | 6 | 60 | 3' | |
| | | <p>Location: Door bottom or sliding door edge.</p> <p>Sealing Gap: 10mm - 20mm</p> <p>Installation Method: Screw-on for direct installation.(Screws included) Surface must be smooth, clean, flat and dry.</p> <p>Seal Material: PP Brush Material (Black)</p> | | | | | | | |
| | |  | <p>The MDS 6 Hinged Automatic Door Seal is a Surface mounted Automatic lifting type made of an Aluminium extrusion and PVC material. This Door Seal is suitable for swinging doors. The installation is simple and does not require the door to be removed.</p>  | 1-65303 | 9323535006189 | 915mm | Bronze | 6 | 36 |
| 1-67303 | 9323535673039 | | | 915mm | Gold | 6 | 36 | 4 | |
| 1-66303 | 9323535006196 | | | 915mm | Silver | 6 | 36 | 4 | |
| <p>Location: Door bottom edge.</p> <p>Sealing Gap: 3mm -12mm</p> <p>Product Length: 915mm (can be cut to desired length)</p> <p>Installation Method: Self-Adhesive tape on back for direct adhesion and Screw-on installation.</p> <p>Surface must be smooth, clean, flat and dry. (Screws included)</p> <p>Seal Material: PVC Material (Black)</p> | | | | | | | | | |
|  | <p>The MDS 6 Hinged Automatic Door Seal is a Surface mounted Automatic lifting type made of an Aluminium extrusion and PVC material. This Door Seal is suitable for swinging doors. The installation is simple and does not require the door to be removed.</p>  | 1-65307 | 9323535653079 | 1220mm | Bronze | 6 | 36 | 4.2 | |
| | | 1-67307 | 9323535673077 | 1220mm | Gold | 6 | 36 | 4.2 | |
| | | 1-66307 | 9323535663078 | 1220mm | Silver | 6 | 36 | 4.2 | |
| | | <p>Location: Door bottom edge.</p> <p>Sealing Gap: 3mm -12mm</p> <p>Product Length: 1220mm (can be cut to desired length)</p> <p>Installation Method: Self-Adhesive tape on back for direct adhesion and Screw-on installation.</p> <p>Surface must be smooth, clean, flat and dry. (Screws included)</p> <p>Seal Material: PVC Material (Black)</p> | | | | | | | |

MORODAY – DOOR SEALS

| Illustration | Feature | Part No. | Bar code | Length | Colour | Inn/ Box | ship /Box | Cu.ft |
|---|---|---|---------------|---|--------|----------|-----------|-------|
|   | <p>The MDS 8 Slimline Automatic Door Seal is a Surface mounted Automatic lifting type made of an Aluminium extrusion and PVC material. This Door Seal is suitable for swinging doors. The installation is simple and does not require the door to be removed.</p>  | 1-65308 | 9323535653086 | 915mm | Bronze | 6 | 48 | 2.5' |
| | | 1-67308 | 9323535673084 | 915mm | Gold | 6 | 48 | 2.5' |
| | | 1-66308 | 9323535663085 | 915mm | Silver | 6 | 48 | 2.5' |
| | | Location: | | Door bottom edge. | | | | |
| | | Sealing Gap: | | 3mm -17mm | | | | |
| | | Product Length: | | 915mm (can be cut to 750mm length) | | | | |
| | | Installation Method: | | Screw-on installation. | | | | |
| | | Surface must be smooth, clean, flat and dry. | | (Screws included) | | | | |
| | | Seal Material: | | PVC Material (Grey) | | | | |
|   | <p>The MDS 9 All-Weather Door Seal is a 2 Piece Surface and Floor mounted sealing system made of Aluminium extrusion and PVC Material. This Door Seal is suitable for swinging doors. The installation is simple and does not require the door to be removed.</p>  | 1-65309 | 9323535653093 | 915mm | Bronze | 6 | 24 | 3.1' |
| | | 1-67309 | 9323535673091 | 915mm | Gold | 6 | 24 | 3.1' |
| | | 1-66309 | 9323535663092 | 915mm | Silver | 6 | 24 | 3.1' |
| | | Location: | | Door bottom edge. | | | | |
| | | Sealing Gap: | | 25mm between door & sill Required | | | | |
| | | Product Length: | | 915mm (can be cut to desired length) | | | | |
| | | Installation Method: | | Screw-on installation (Screws included) | | | | |
| | | Surface must be smooth, clean, flat and dry. | | | | | | |
| | | Seal Material: | | PVC Material (Grey) | | | | |
|   | <p>The MDS 10 Special Concealed Door Seal is an internally mounted automatic sealing system made of Aluminium extrusion and PVC material. This Door Seal is suitable for swinging doors.</p>  | 1-66310 | 9323535663108 | 915mm | Silver | 6 | 24 | 2.5' |
| | | | | | | | | |
| | | Location: | | Internally within mortised Door bottom. | | | | |
| | | Sealing Gap: | | 3mm -15mm | | | | |
| | | Product Length: | | 915mm (can be cut to desired length) | | | | |
| | | Installation Method: | | Screw-on installation (Screws included) (Screws included) | | | | |
| | | Seal Material: | | PVC Material (Black) | | | | |
|   | <p>The MDS 11 & 12 Automatic Hinged Door Seal is a Surface mounted Automatic lifting type made of an Aluminium extrusion and PVC material. This Door Seal is suitable for swinging doors. The installation is simple and does not require the door to be removed.</p>  | 1-65331 | 9323535653314 | 915mm | Bronze | 6 | 24 | 2.3 |
| | | 1-67331 | 9323535673312 | 915mm | Gold | 6 | 24 | 2.3 |
| | | 1-66331 | 9323535663313 | 915mm | Silver | 6 | 24 | 2.3 |
| | | 1-65332 | 9323535653321 | 1220mm | Bronze | 6 | 24 | 2.9 |
| | | 1-67332 | 9323535673329 | 1220mm | Gold | 6 | 24 | 2.9 |
| | | 1-66332 | 9323535663320 | 1220mm | Silver | 6 | 24 | 2.9 |
| | | Location: | | Door bottom edge. | | | | |
| | | Sealing Gap: | | 3mm -12mm | | | | |
| | | Product Length: | | 915mm & 1220mm (can be cut to desired length) | | | | |
| | | Installation Method: | | Screw-on installation. (Screws included) (Screws included) | | | | |
| | | Seal Material: | | PVC Material (Black) | | | | |

MORODAY – DOOR SEALS

| Illustration | Feature | Part No. | Bar code | Length | Colour | Inn/ Box | ship /Box | Cu.ft |
|--|--|-----------------------------|--|------------------|-----------------------------------|----------|-----------|-------|
| MDS 13 Door Seal   | <p>The MDS 13 Rain Door Seal for inward opening hinged doors sealing system made of Aluminium or Plastic extrusion and PVC material. For double doors, use two seals</p> | 1-66333 | 9323535663337 | 915mm | Silver | 6 | 24 | 2.3 |
| | | 1-66335 | 9323535663351 | 915mm | Silver | 6 | 24 | 2.3 |
| | | Location: | Door bottom. | | | | | |
| | | Sealing Gap: | 23mm -25mm | | | | | |
| | | Product Length: | 915mm (can be cut to desired length) | | | | | |
| | | Installation Method: | Screw-on installation (Screws included) | | | | | |
| | | Seal Material: | PVC Materi | | | | | |
| MDS 14 Roller Door Seal   | <p>The MDS 14 is ideal for internal doors by screwing support brackets to door. This Door Seal is suitable for swinging doors. The installation is simple and does not require the door to be removed.</p> | 1-66334 | 9323535663344 | 915mm | Grey | 6 | 24 | 4.5 |
| | | | | Location: | Internal Door bottom edge. | | | |
| | | Sealing Gap: | to 19mm | | | | | |
| | | Product Length: | 915mm (can be cut to 800mm length) | | | | | |
| | | Installation Method: | Screw-on support Bracket. (brackets included) | | | | | |
| | | Seal Material: | (Grey) | | | | | |

MORODAY – D.I.Y. WEATHER SEAL RANGE

At Moroday Products, we have been producing Weather Seals for the D.I.Y. market for a number of years and are renowned for our comprehensive range of Polyurethane, PVC, EPDM and Nylon Brush material Weather Seals.

These products are available in handy 5 Metre and 15 Metre Retail packs in a variety of colours to suit most dector and window or door frame applications.

Also Available in Spools.



MWS 3



MWS4



MWS 8



MWS 12



MWS 11



Retail Packs



Spools

D.I.Y. GENERAL PURPOSE RANGE

Moroday Products also produce a range of PVC External Seals, Scratch Saver, Gap Filling Rods Double-Sided Tapes and Hook & Loop range.



PVC Handy-Seal



Double Sided Tapes



Scratch Savers




Budget Scratch Savers



Gap Filling Rods




Full Hook & Loop Range

| Illustration | Feature | Part No. | Bar code | Thick-Width- Length | Colour | Inn/ Box | ship /Box | Cu.ft |
|---|---------|----------|---------------|------------------------|--------|-------------|--------------|-------|
| <p>MWS 11 SPECIAL-Seal</p>  <p>The MWS 11 Special-Seal is a Self-adhesive surface mounted weather seal made of a flexible extrusion of EPDM Rubber. This weather seal is suitable for domestic and commercial doors or windows.</p> <p>Location: Door and Window jambs.</p> <p>Sealing Gap: 3mm - 5mm</p> <p>Product Length: 5,15,100 and 200 Metres (can be cut to desired length)</p> <p>Installation Method: Self-Adhesive tape on back for direct adhesion.</p> <p>Surface must be smooth, clean, flat and dry.</p> <p>Seal Material: Extrusion EPDM Rubber (Brown,White and Grey)</p> | | 1-12205 | 9323535009272 | 6mmX9mmX200M | Brown | 1 | 3 | 3.27' |
| | | 1-11205 | 9323535009289 | 6mmX9mmX200M | White | 1 | 3 | 3.27' |
| | | 1-12305 | 9323535123053 | 6mmX9mmX100M | Brown | 1 | 5 | 3.27' |
| | | 1-11305 | 9323535113054 | 6mmX9mmX100M | White | 1 | 5 | 3.27' |
| | | 1-12112 | 9323535121127 | 6mmX9mmX5M | Brown | 12 | 60 | 2.12 |
| | | 1-11112 | 9323535111128 | 6mmX9mmX5M | White | 12 | 60 | 2.12 |
| | | 1-11113 | 9323535111135 | 6mmX9mmX5M | Grey | 12 | 60 | 2.12 |
| | | 1-11176 | 9323535111760 | 6mmX9mmX15M | White | 6 | 24 | 3.24 |
| | | 1-12176 | 9323535121769 | 6mmX9mmX15M | Brown | 6 | 24 | 3.24 |
| | | 1-11177 | 9323535111777 | 6mmX9mmX15M | Grey | 6 | 24 | 3.24 |

| | | | | | | | | |
|---|--|---------|---------------|----------------|-------|----|----|-------|
| <p>MWS 12 SPECIAL-Seal</p>  <p>The MWS 12 Special-Seal is a Self-adhesive surface mounted weather seal made of a flexible extrusion of EPDM Rubber. This weather seal is suitable for domestic and commercial doors or windows. The installation is simple and does not require the door to be removed.</p> <p>Location: Door and Window jambs.</p> <p>Sealing Gap: 2mm - 4mm</p> <p>Product Length: 5,15 and 100 Metres (can be cut to desired length)</p> <p>Installation Method: Self-Adhesive tape on back for direct adhesion. Surface must be smooth, clean, flat and dry.</p> <p>Seal Material: Extrusion EPDM Rubber (Brown,White and Grey)</p> | | 1-12304 | 9323535123046 | 4.5mmX8mmX100M | Brown | 1 | 5 | 3.27' |
| | | 1-11304 | 9323535113047 | 4.5mmX8mmX100M | White | 1 | 5 | 3.27' |
| | | 1-12123 | 9323535121233 | 4.5mmX8mmX5M | Brown | 12 | 60 | 2.12 |
| | | 1-11123 | 9323535111234 | 4.5mmX8mmX5M | White | 12 | 60 | 2.12 |
| | | 1-11124 | 9323535111241 | 4.5mmX8mmX5M | Grey | 12 | 60 | 2.12 |
| | | 1-12172 | 9323535121721 | 4.5mmX8mmX15M | Brown | 6 | 24 | 3.24 |
| | | 1-11172 | 9323535111722 | 4.5mmX8mmX15M | White | 6 | 24 | 3.24 |
| | | 1-11173 | 9323535111739 | 4.5mmX8mmX15M | Grey | 6 | 24 | 3.24 |


MORODAY – WEATHER SEALS

| Illustration | Feature | Part No. | Bar code | Thick-Width- Length | Colour | Inn/ Box | ship /Box | Cu.ft |
|--|---|----------|---------------|------------------------|--------|-------------|--------------|-------|
|  | <p>The MWS 3 Multi-Seal is a Self-adhesive surface mounted weather seal made of a flexible extrusion of Closed Cell Foam. This weather seal is suitable for domestic and commercial doors or windows. The installation is simple and does not require the door to be removed.</p> | 1-22206 | 9323535008244 | 4.8mmX9mmX100M | Brown | 1 | 3 | 3.27' |
| | | 1-23206 | 9323535008251 | 4.8mmX9mmX100M | Grey | 1 | 3 | 3.27' |
| | | 1-21206 | 9323535008268 | 4.8mmX9mmX100M | White | 1 | 3 | 3.27' |
| | | 1-22301 | 9323535223012 | 4.8mmX9mmX100M | Brown | 1 | 5 | 3.27' |
| | | 1-23301 | 9323535233011 | 4.8mmX9mmX100M | Grey | 1 | 5 | 3.27' |
| | | 1-21301 | 9323535213013 | 4.8mmX9mmX100M | White | 1 | 5 | 3.27' |
| | | 1-22102 | 9323535008176 | 4.8mmX9mmX5M | Brown | 12 | 60 | 1.71' |
| | | 1-23102 | 9323535008169 | 4.8mmX9mmX5M | Grey | 12 | 60 | 1.71' |
| | | 1-21102 | 9323535008152 | 4.8mmX9mmX5M | White | 12 | 60 | 1.71' |
| | | 1-22272 | 9323535222725 | 4.8mmX9mmX15M | Brown | 6 | 48 | 3.2 |
| | | 1-23272 | 9323535232724 | 4.8mmX9mmX15M | Grey | 6 | 48 | 3.2 |
| | | 1-21272 | 9323535212726 | 4.8mmX9mmX15M | White | 6 | 48 | 3.2 |



Location: Door and Window jambs.
Sealing Gap: 2.5mm - 4.8mm
Product Length: 5,15,100 and 200 Metres (can be cut to desired length)
Installation Method: Self-Adhesive tape on back for direct adhesion.
Surface must be smooth, clean, flat and dry.
Seal Material: Closed Cell Foam (Brown,White and Grey)



MWS 8 Brush-Seal




| | | | | | | | |
|--|---------|---------------|----------------|------|----|----|-------|
| <p>The MWS 8 Brush-Seal is a Self-adhesive surface mounted weather seal made of a flexible extrusion of PP brush material. This weather seal is suitable for domestic and commercial doors or windows. The installation is simple and does not require the door to be removed.</p> | 1-43205 | 9323535000057 | 5mmX6.7mmX100M | Grey | 1 | 5 | 3.27' |
| | 1-43102 | 9323535431028 | 5mmX6.7mmX5M | Grey | 12 | 60 | 1.71 |
| | 1-43172 | 9323535431721 | 5mmX6.7mmX15M | Grey | 6 | 36 | 2.72 |






Location: Door and Window jambs.
Sealing Gap: 3mm - 5mm
Product Length: 5,15, and 100 Metres (can be cut to desired length)
Installation Method: Self-Adhesive tape on back for direct adhesion.
Surface must be smooth, clean, flat and dry.
Seal Material: PP Brush (Grey)

| Illustration | Feature | Part No. | Bar code | Thick-Width- Length | Colour | Inn/ Box | ship /Box | Cu.ft |
|--|--|----------|---------------|---|--------|-------------|--------------|-------|
|  | <p>The installation is simple and does not require the door to be removed.</p> | 1-33102 | 9323535007124 | 6mmX9mmX5M | Grey | 12 | 60 | 1.71 |
| | | 1-31102 | 9323535007117 | 6mmX9mmX5M | White | 12 | 60 | 1.71 |
| | | 1-33273 | 9323535332738 | 6mmX9mmX15M | Grey | 6 | 48 | 3.2 |
| | | 1-31273 | 9323535312730 | 6mmX9mmX15M | White | 6 | 48 | 3.2 |
| | | | |  | | | | |
| | <p>Location: Door and Window jambs</p> <p>Sealing Gap: 3mm - 6mm</p> | | | | | | | |

| | | | | | | | | |
|---|---|---------|---------------|----------------|-------|----|----|-------|
| <p>MWS 4 Econo -Seal</p>  | <p>The MWS 4 Econo-Seal is a Self-adhesive surface mounted weather seal made of a flexible extrusion of Open Cell Foam. This Multi Purpose seal is suitable for domestic doors or windows.</p> | 1-33402 | 9323535334022 | 6mmX19mmX5M | Grey | 12 | 60 | 3.2' |
| | | 1-31402 | 9323535314024 | 6mmX19mmX5M | White | 12 | 60 | 3.2' |
| | | 1-33293 | 9323535332936 | 6mmX19mmX15M | Grey | 6 | 24 | 3.1 |
| | | 1-31293 | 9323535312938 | 6mmX19mmX15M | White | 6 | 24 | 3.1 |
| | | 1-33403 | 9323535334039 | 6mmX25mmX5M | Grey | 12 | 60 | 4.4' |
| | | 1-31403 | 9323535314031 | 6mmX25mmX5M | White | 12 | 60 | 4.4' |
| | | 1-33283 | 9323535332837 | 6mmX25mmX15M | Grey | 6 | 24 | 3.9 |
| | | 1-31283 | 9323535312839 | 6mmX25mmX15M | White | 6 | 24 | 3.9 |
| | | 1-33401 | 9323535334015 | 12mmX12mmX2.5M | Grey | 12 | 60 | 2.2' |
| | | 1-31401 | 9323535314017 | 12mmX12mmX2.5M | White | 12 | 60 | 2.2' |
| | | 1-33275 | 9323535332752 | 12mmX12mmX7.5M | Grey | 6 | 24 | 2.2 |
| | | 1-31275 | 9323535312754 | 12mmX12mmX7.5M | White | 6 | 24 | 2.2 |
| | | 1-33204 | 9323535007247 | 6mmX25mmX75M | Grey | 1 | 3 | 3.27' |
| | | 1-33302 | 9323535333025 | 6mmX19mmX40M | Grey | 1 | 5 | 3.27' |
| | | 1-33303 | 9323535333032 | 6mmX25mmX40M | Grey | 1 | 5 | 3.27' |
| | | 1-33301 | 9323535333018 | 12mmX12mmX40M | Grey | 1 | 5 | 3.27' |
| | <p>Location: Edges and jambs</p> <p>Sealing Gap: Up to 6mm - 12mm</p> <p>Product Length: 2.5M-75 Metres (can be cut to desired length)</p> <p>Installation Method: Self-Adhesive tape on back for direct adhesion.</p> <p>Surface must be smooth, clean, flat and dry.</p> <p>Seal Material: Open Cell Polyurethane Foam (Grey and White)</p> | | | | | | | |

MORODAY – CLOSED CELL PVC FOAM

| Illustration | Feature | Part No. | Bar code | Thick-Width- Length | Colour | Inn/ ship Box /Box | Cu.ft |
|---|--|----------|---------------|------------------------|--------|-----------------------|-------|
|  <p>MWS 5 Handy-Seal SOFT</p> | <p>The MWS 5,6 and 7 Handy Seal is a Self-adhesive surface mounted seal made of a flexible extrusion of Closed Cell Foam. This multiple use seal is suitable for a multitude of domestic and commercial applicatios. The installation is simple and does not require any door or windows etc. to be removed.</p> | 1-28201 | 9323535005212 | 4.8mmX25mmX75M | Black | 1 3 | 3.27' |
| | | 1-28301 | 9323535283016 | 4.8mmX25mmX30M | Black | 1 5 | 3.27' |
| | | 1-28103 | 9323535030641 | 6.4mmX25mmX3M | Black | 6 30 | 1.8 |
| | | 1-28104 | 9323535031273 | 12.7mmX25mmX3M | Black | 6 30 | 2.7 |
| | | 1-28105 | 9323535031907 | 19mmX25mmX3M | Black | 6 30 | 3.25 |
| | | 1-28501 | 9323535005274 | 4.8mmX25mmX10M | Black | 6 30 | 3.27 |
|  <p>MWS6 Handy-Seal Medium</p> | | 1-28202 | 9323535005229 | 4.8mmX25mmX75M | Black | 1 3 | 3.27' |
| | | 1-28302 | 9323535283023 | 4.8mmX25mmX30M | Black | 1 5 | 3.27' |
| | | 1-28502 | 9323535005281 | 4.8mmX25mmX10M | Black | 6 30 | 3.27' |
|  <p>MWS 7 Handy-Seal Hard</p> | | 1-28203 | 9323535005236 | 4.8mmX25mmX75M | Black | 1 3 | 3.27' |
| | | 1-28303 | 9323535283030 | 4.8mmX25mmX30M | Black | 1 5 | 3.27' |
| | | 1-28503 | 9323535005298 | 4.8mmX25mmX10M | Black | 6 30 | 3.27' |

Location:

Edges and jambs.

Sealing Gap:

Up to 4.8mm, 6.4mm, 12.7mm or 19mm.



Installation Method:




Self-Adhesive tape on back for direct adhesion.

Surface must be smooth, clean, flat and dry.




Seal Material:

Closed Cell PVC Foam (Black)



| Illustration | Feature | Part No. | Bar code | Thick-Width- Length | Colour | Inn/ ship Box /Box | Cu.ft |
|---|---|--|---------------|------------------------|--------|-----------------------|-------|
| <p>MWS 9 Flexi-Seal</p>    | <p>The MWS 9 Flexi-Seal is a self-adhesive surface mounted seal made of a flexible extrusion of Closed Cell Foam. This multiple use seal is suitable for a multitude of domestic roofing and outdoor applications.</p> | 1-81103 | 9323535811035 | 4.5mmX25mmX10l | White | 6 30 | 2.4 |
| | Location: | Ideal for roofing purlins or battens. | | | | | |
| | Sealing Gap: | Up to 4.5mm | | | | | |
| | Installation Method: | Self-Adhesive tape on back for direct adhesion. | | | | | |
| | Surface must be smooth, clean, flat and dry. | | | | | | |
| | Seal Material: | Closed Cell polyethylene Foam (White) | | | | | |

MORODAY – Multi Purpose Seals

| Illustration | Feature | Part No. | Bar code | Dia-Length | Colour | Inn/ ship Box /Box | Cu.ft |
|--|--|----------|---------------|-------------|--------|-----------------------|-------|
| MGF Gap Filler Rod | | | | | | | |
|    | <p>The MGF 1, 2 and 3 Gap Filler Rod is a flexible extrusion of Close Cell Foam. This backing rod is suitable for domestic and commercial applications where deep gaps or cracks need to be filled in conjunction with a caulking product.</p> | 1-81201 | 9323535812018 | 15mm X 50M | White | 1 3 | 3.27' |
| | | 1-81202 | 9323535812025 | 10mm X 100M | White | 1 3 | 3.27' |
| | | 1-81203 | 9323535812032 | 6mm X 200M | White | 1 3 | 3.27' |
| | | 1-81301 | 9323535813015 | 15mm X 25M | White | 1 5 | 3.27' |
| | | 1-81302 | 9323535813022 | 10mm X 50M | White | 1 5 | 3.27' |
| | | 1-81303 | 9323535813039 | 6mm X 100M | White | 1 5 | 3.27' |
| | | 1-81104 | 9323535004147 | 15mm X 10M | White | 6 12 | 3.1 |
| | | 1-81105 | 9323535004154 | 10mm X 10M | White | 6 12 | 1.9 |
| | | 1-81106 | 9323535811066 | 6mm X 10M | White | 6 30 | 1.71 |
| | | 1-81210 | 9323535812100 | 15mm X 5M | White | 12 24 | 3.17' |
| | | 1-81219 | 9323535812193 | 10mm X 5M | White | 12 24 | 1.72 |
| | | 1-81217 | 9323535812179 | 6mm X 5M | White | 12 48 | 1.72 |

Sealing Gap:

Up to 15mm

Product Length:


As per above chart.

Installation Method:

Press or squeeze into Gap or crack.

Seal Material:

Extruded Close Cell Polyurethane Foam (White)



| Illustration | Retail Packs | Part No. | Bar code | Thick-Width- Length | Colour | Inn/ Box | ship /Box | Cu.ft |
|--------------|---------------------------------------|----------|---------------|------------------------|--------|-------------|--------------|-------|
| | MMG 1 Double back Hook & Loop | 1-08201 | 9323535082015 | 2 x 25mm x 1M | Black | 12 | 120 | 3.6 |
| | MMG 1 Double back Hook & Loop | 1-01201 | 9323535012012 | 2 x 25mm x 1M | White | 12 | 120 | 3.6 |
| | MMG 2 Self Adhesive Hook & Loop | 1-08202 | 9323535082022 | 2 x 25mm x 1M | Black | 12 | 120 | 3.6 |
| | MMG 2 Self Adhesive Hook & Loop | 1-01202 | 9323535012029 | 2 x 25mm x 1M | White | 12 | 120 | 3.6 |
| | MMG3 Self/Adh Hook & Sewing Loop | 1-08213 | 9323535082138 | 2 x 25mm x 1M | Black | 12 | 120 | 3.6 |
| | MMG4 Self Adhesive Spots Hook & Loop | 1-08204 | 9323535082046 | 2 x 22mm x 1M (50pr) | Black | 12 | 120 | 3.6 |
| | MMG4 Self Adhesive Spots Hook & Loop | 1-01204 | 9323535012043 | 2 x 22mm x 1M (50pr) | White | 12 | 120 | 3.6 |
| | MMG 5 Hook & Loop Strips | 1-08205 | 9323535082053 | 4Pr x 20mm x 150m | Black | 12 | 120 | 2.32 |
| | MMG 5 Hook & Loop Strips | 1-01205 | 9323535012050 | 4Pr x 20mm x 150m | White | 12 | 120 | 2.32 |
| | MMG51 Reusable Tiess(Red,Blue,Gr,Blk) | 1-00201 | 9323535002013 | 5 x 25mm x 200mm | Multi | 12 | 120 | 2.32 |
| | MMG 51 Reusable Ties (Black) | 1-08200 | 9323535082008 | 5 x 25mm x 200mm | Black | 12 | 120 | 2.32 |
| | MMG 6 Hook & Loop Tabs | 1-08206 | 9323535082060 | 12Pr x 25mm x 40mm | Black | 12 | 120 | 2.11 |
| | MMG 6 Hook & Loop Tabs | 1-01206 | 9323535012067 | 12Pr x 25mm x 40mm | White | 12 | 120 | 2.11 |
| | MMG 22 Self/ Adh Hook & Loop H/Duty | 1-08002 | 9323535080028 | 25mm x 1M | Black | 12 | 120 | 5 |
| | MMG 22 Self/ Adh Hook & Loop H/Duty | 1-01002 | 9323535010025 | 25mm x 1M | White | 12 | 120 | 5 |
| | MMG 55 Self/Adh Hook & loop Strips | 1-08003 | 9323535080035 | 50mm x100mm(3sets) | Black | 12 | 120 | 2.54 |
| | MMG23 Rough Surface H&L Tape H/Duty | 1-03005 | 9323535030054 | 25mm x100mm(3sets) | Grey | 12 | 120 | 2.54 |

Moroday Products are pleased to introduce the Maxi-Grip range of Quality Hook & Loop Products.

Hook and Loop provides versatile mounting Fasten and re-attach products quickly and easily.

Available in sew-on and adhesive backed rolls or spots. Standard adhesive and heavy duty strength adhesive is available. Buy heavy duty strength adhesive when you have demanding applications where a long-lasting bond is required or exposed conditions are more extreme.

Applications for hook and loop can be found in many industries including:

signage & graphics, printing & packaging, aerospace, exhibit & trade shows, aerospace, exhibit & trade shows, upholstery & notions, medical, sports, military, marine, POP display, and apparel & uniforms.

Our Hook and Loop manufacturer also offers.

One of the largest stock and selection of: acrylic-adhesive hook and Loop, die-cut hook&

Loop, Hook and Loop cable ties with assorted colour are also available.

The quality of the product is the main priority. All hook and Loop products are

manufactured in accordance with ISO 9001:2000. The huge buying power means we are able to offer competitive prices.

Moroday

Icon Plastics Pty Ltd
ABN 89 071 392 366



Registered Office

19-21 Hallam South Road
Hallam, VIC 3803 Australia
PO Box 1287 Narre Warren
VIC 3805 Australia
Tel: 61 3 8796 9277
Fax: 61 3 9703 1478

Queensland Office

8-10 Hinkler Court
Brendale, QLD 4500
Tel: 61 7 3490 5400
Fax: 61 7 3490 5450

Seaford Branch

32 Klauer Street
Seaford, VIC 3198
Tel: 61 3 8770 5102
Fax: 61 3 9773 6466

Sales Tel: 1800 803 236
Sales Fax: 1800 805 086
icon@iconplastics.com.au

www.iconplastics.com.au